

Figure 1

200




FIGURE 2



300


301	~64	32	16	8	4	2	1	.75	.50	.25	.1
302	~0	1	2	3	4	5	6	7	8	9	10

DISTANCE  
IN MM<sup>2</sup>  
LINES PER  
MM

FIGURE 3A

LINES PER MM

305



DISTANCE IN MM<sup>5</sup>

304

FIGURE 3B



FIGURE  
4A





FIGURE  
4B





# SOLID COLOR TEXTURE

500

501	10	9	8	7	6	5	4	3	2	1	DISTANCE IN MM'S
502	1	2	3	4	5	6	7	8	9	10	INTENSITY OF COLORED TEXTURE

FIGURE 5A

INTENSITY OF COLOR




FIGURE 5B




FIGURE  
6A




FIGURE  
6B




FIGURE  
6C




FIGURE 7A




FIGURE 7B




FIGURE 7C




FIGURE 7D




FIGURE 7E




FIGURE 7F





FIGURE  
8A





FIGURE  
8B





FIGURE  
8C





THIS PAD IS THE PROPERTY OF THE U.S. ARMY  
ENGINEERING CENTER, FORT BELVOIR, COLORADO  
IT IS TO BE USED FOR ENGINEERING CALCULATIONS  
AND RECORDS ONLY. IT IS NOT TO BE USED FOR  
STORAGE OF RECORDS OR FOR OTHER PURPOSES.




FIGURE  
9A




FIGURE  
9B




FIGURE  
9C



FIGURE  
10 A




FIGURE  
10 B





FIGURE  
10 C



1100

